

## Selected Bibliography Related to Geology, Hydrology, Soil and Vegetation of the Pecos River

## REFERENCE: GEOLOGY

- Albritton, C.C., Jr., Smith, J.F., Jr., 1965. Geology of the Sierra Blanca area, Hudspeth County, Texas, U.S. Geol. Survey Professional Paper 479.
- Barnes, V.E., 1995. Geologic atlas of Texas, Van Horn-El Paso Sheet. The University of Texas at Austin Bureau of Economic Geology.
- Bartsch-Winkler, S., 1995. Geology of east-central New Mexico. US Geological Survey Bulletin, 2063: 5-34.
- Bedinger, M.S., Sargent, K.A., Langer, W.H., 1989. Studies of geology and hydrology in the Basin and Range province, southwestern United States, for isolation of high-level radioactive waste, characterization of the Trans-Pecos region, Texas. US Geological Survey Professional Paper 1370, B: 43.
- BEG, 1992. Geology of Texas. Bureau of Economic Geology, The University of Texas at Austin, Austin, Texas.
- Collins, E.W., Raney, J.A., 1990. Neotectonic history and structural style of the Campo Grande Fault, Hueco Basin, trans-Pecos Texas. Report of Investigation - Bureau of Economic Geology, University of Texas at Austin, 196: 39.
- Fisher, R.S., Mullican, I.W.F., 1990. Integration of ground-water and vadose-zone geochemistry to investigate hydrochemical evolution: a case study in arid lands of the northern Chihuahuan Desert, Trans-Pecos Texas. Geological Circular - Bureau of Economic Geology, University of Texas at Austin, 90-5: 36.
- Henry, C.D., 1979. Geologic setting and geochemistry of thermal water and geotheraml assessment, Trans-Pecos Texas with tectonic map of the Rio Grande area, Trans-Pecos Texas and adjacent Mexico. University of Texas at Austin, Bureau of Economic Geology, Report of Investigations, 96: 48.
- Langford, R.P., Jackson, M.L.W., Whitelaw, M.J., 1999. The Miocene to Pleistocene filling of a mature extensional basin in Trans-Pecos Texas: Geomorphic and hydrologic controls on deposition. *Sedimentary Geology*, 128(1-2): 131-153.
- LeMone, D.V., Simpson, R.D., Turnsek, D., 1983. Preliminary examination of the Espy Formation (late Albian) coral fauna from the northwestern Eagle Mountains, Hudspeth County, Texas. In: S.J. Meader-Roberts (Editor), *Geology of the Sierra Diablo and southern Hueco Mountains, West Texas*: Society of Economic Paleontologists and Mineralogists, Permian Basin Section, pp. 114-121.
- Ogilbee, W., Wesselman, J.B., Irelan, B., 1962. Volume I. Geology and ground-water resources of Reeves County, Texas, Texas Water Commission, Austin.
- Read, A.S., Rawling, G.C., 2002. Preliminary Geologic Map of the Pecos 7.5-minute Quadrangle. New Mexico Bureau of Geology and Mineral Resources, Open-file Geologic Map OF-GM 52, scale 1:24,000.

## REFERENCE: HYDROLOGY

- Ashworth, J.B., 1990. Evaluation of ground-water resources in parts of Loving, Pecos, Reeves, Ward, and Winkler Counties, Texas, Texas Water Development Board Report 317.
- Bedinger, M.S., Langer, W.H., Reed, J.E., 1986. Synthesis of hydraulic properties of rocks with reference to the basin and range province, southwestern United States, U.S. Geological Survey Water-Supply Paper 2310.
- Bedinger, M.S., Langer, W.H., Reed, J.E., 1989. Ground-water hydrology. In: M.S. Bedinger, K.A. Sargent and W.H. Langer (Editors), Studies of geology and hydrology in the Basin and Range Province, southwestern United States, for isolation of high-level radioactive waste, for isolation of high-level radioactive waste - characterization of the Trans- Pecos region, Texas. U.S. Geol. Survey Professional Paper 1370-B, pp. B31-B37.
- Berger, A.C., Bethke, C.M., Krumhansl, J.L., 2000. A process model of natural attenuation in drainage from a historic mining district. *Applied Geochemistry*, 15(5): 655-666.
- Boghici, R., 1999. Changes in Groundwater Conditions in Parts of Trans-Pecos Texas, 1988 -1998, Texas Water Development Board, Report 348, Austin, Texas.
- Boroughs, C.B., Abt, S.R., 2003. Water losses along a reach of the Pecos River in New Mexico. *Journal of the American Water Resources Association*, 39(6): 1457-1464.
- Bradley, R.G., Kalaswad, S., 2002. The Dockum Aquifer in West Texas, Texas Water Development Board.
- Brady, B.T., Bedinger, M.S., Mulvihill, D.A., Mikels, J., Langer, W.H., 1984. Maps showing ground-water levels, springs, and depth to ground water, Basin and Range province, Texas, U.S. Geol. Survey Water- Resources Investigations Rept. 83-4121-B.
- Carron, J., 2003. Pecos River Adjudication Settlement Negotiations: Model Evaluation of Proposed Settlement Terms, Hydrosphere Resource Consultants, Inc. New Mexico Interstate Stream Commission.
- Charnes, A., Dickinson, R., Heaney, J., Duffuaa, S., 1989. A constrained median statistical routing method and the Pecos River case. *Applied Mathematical Modelling*, 13(6): 330-338.
- Cheney, R.W., 1995. Data Analysis Update: Malaga Bend Salinity Control Study, Pecos River Basin, Technical Service Center, Bureau of Reclamation, U.S. Department of Interior, Denver, Colorado.
- Darling, B.K., Hibbs, B.J., Dutton, A.R., Sharp, J.M., Jr., 1995. Isotope hydrology of the Eagle Mountains area, Hudspeth County, Texas. In: W.R. Hotchkiss, J.S. Downey, E.D. Gutentag and J.E. Moore (Editors), Implications for development of ground-water resources: in *Water Resources at Risk*. American Institute of Hydrology, Minneapolis, MN, pp. SL12-SL24.
- Dutton, A.R., 1995. Groundwater isotopic evidence for paleorecharge in the U.S. High Plains aquifers. *Quaternary Research*, 43(221-231).
- Fisher, R.S., Mullican, W.F., 1990a. Integration of ground-water and vadose-zone geochemistry to investigate hydrochemical evolution: a case study in and lands of

- the northern Chihuahuan Desert, Trans-Pecos Texas, The University of Texas at Austin Bureau of Economic Geology Geological Circular.
- Fisher, R.S., Mullican, W.F., 1990b. Origin of solutes in ground waters from the Diablo Plateau, Hueco Bolson, and Rio Grande Aquifers, Trans-Pecos, Texas. In: C.W. Kreitler and J.M. Sharp (Editors), Hydrogeology of Trans-Pecos Texas. The University of Texas, Bureau of Econ. Geol, pp. 43 - 48.
- Gates, J.S., White, D.E., 1976. Test drilling for ground water in Hudspeth, Culberson and Presidio Counties in westernmost Texas, U.S. Geol. Survey Open-File Report 76-338.
- Gates, J.S., White, D.E., Stanley, W.D., Ackerman, H.D., 1980. Availability of fresh and slightly saline ground water in the basins of westernmost Texas, Texas Department of Water Resources, Report No. 256.
- Gisser, M., 1970. Linear programming models for estimating the agricultural demand function for imported water in the Pecos River basin. *Water Resources Research*, 6(4): 1025-1032.
- Gisser, M., 1973. Agricultural demand for water in the Pecos River Basin: An addendum. *Water Resources Research*, 9(5): 1429-1432.
- Gisser, M., Mercado, A., 1972. Integration of the agricultural demand function for water and the hydrologic model of the Pecos basin. *Water Resources Research*, 8(6): 1373-1384.
- Hoy, R.N., Gross, G.W., 1982. A baseline study of oxygen-18 and deuterium in the Roswell, New Mexico groundwater basin, New Mexico Water Resources Research Institute Report 44.
- Jones, I.C., 2003. Cenozoic Pecos Alluvium Aquifer, Texas Water Development Board, Austin, Texas.
- Kreitler, C.W., Mullican, W.F., Nativ, R., 1990. Hydrogeology of the Diablo Plateau, Trans-Pecos Texas. In: C.W. Kreitler and J.M. Sharp (Editors), Hydrogeology of Trans-Pecos Texas. The University of Texas, Bureau of Econ. Geol, pp. 49-58.
- Kreitler, C.W., Sharp, J.M., Jr., 1990. Hydrogeology of Trans-Pecos Texas. The University of Texas, Bureau of Econ. Geol, pp. 120.
- McLemore, V.T., Brandvold, L.A., 2001. Long-term monitoring of the geochemistry of surface water and stream-sediment samples from the upper Pecos River, from the southern Pecos wilderness to Brantley Dam, north of Carlsbad, eastern New Mexico, New Mexico Bureau of Geology and Mineral Resources, New Mexico Tech, Socorro, New Mexico.
- Reiter, M., Jordan, D.L., 1996. Hydrogeothermal studies across the Pecos River Valley, southeastern New Mexico. *Geological Society of America Bulletin*, 108(6): 747-756.
- Scalapino, R.A., 1950. Development of ground water for irrigation in the Dell City area, Hudspeth County, Texas, Texas Board of Water Engineers Bulletin 5004.
- Scanlon, B.R., 1992. Environmental and applied tracers as indicators of liquid and vapor transport in the Chihuahuan Desert, Texas, The University of Texas at Austin, Bureau of Economic Geology, pp. 51.
- Scanlon, B.R., Wang, F.P., Richter, B.C., 1991. Field studies and numerical modeling of unsaturated flow in the Chihuahuan Desert, The University of Texas at Austin, Bureau of Economic Geology, pp. 56.

- Uliana, M.M., Sharp, J.M., Jr., 2001. Tracing regional flow paths to major springs in Trans-Pecos Texas using geochemical data and geochemical models. *Chemical Geology*, 179(1-4): 53-72.
- Walvoord, M.A., Phillips, F.M., 2004. Identifying areas of basin-floor recharge in the Trans-Pecos region and the link to vegetation. *Journal of Hydrology*, 292(1-4): 59-74.
- Wood, W.W., 2002. Role of ground water in geomorphology, geology, and paleoclimate of the Southern High Plains, USA. *Ground Water*, 40(4): 438-447.

## REFERENCE: SOIL

- Capo, R.C., and Chadwick, O.A. 1999. Sources of strontium and calcium in desert soil and calcrete. *Earth and Planetary Science Letters* 170: 61-72.
- Gustavson, T.C., and Holliday, V.T. 1999. Eolian sedimentation and soil development on a semiarid to subhumid grassland, tertiary Ogallala and Quaternary Blackwater Draw Formations, Texas and New Mexico High Plains. *Journal of Sedimentary Research, Section A: Sedimentary Petrology and Processes* 69: 622-634.
- Helms, D. 2001. The early soil survey: Engine for the soil conservation movement. In: Steinhardt, G.C. (ed), *Sustaining the Global Farm-The 10th International Soil Conservation Organization Meeting*, Purdue University and the USDA-ARS National Soil Erosion Research Laboratory, pp. 1029-1033.
- Jaco, H.B. 1980. Soil Survey of Reeves County, Texas, National Cooperative Soil Survey, United States Department of Agriculture.
- Jacob, J.S., and Allen, B.L. 1990. Persistence of a zeolite in tuffaceous soils of the Texas Trans-Pecos. *Soil Science Society of America Journal* 54: 549-554.
- Machette, M.N. 1985. Calcic soils of the southwestern United States. In: Weide, D.L. (ed), *Special Paper, Geological Society of America Vol. 203. Soils & Quaternary Geology of the Southwestern U.S.*, pp. 1-21.
- Neville, P., Morain, S., Coward, R.I., Watson, R.P., and Inglis, M. 2000. The application of TM imagery and GIS data in the assessment of arid lands water and land resources in West Texas. *Photogrammetric Engineering and Remote Sensing* 66: 1373-1379.
- Rabenhorst, M.C., West, L.T., and Wilding, L.P. 1991. Genesis of calcic and petrocalcic horizons in soils over carbonate rocks. In: Nettleton, W.D. (ed), *Occurrence, characteristics, and genesis of carbonate, gypsum, and silica accumulations in soils. Proc. symposium, Anaheim, CA, 1988. Sssa, Special Publication, 26*, pp. 61-74.
- Rabenhorst, M.C., and Wilding, L.P. 1986a. Pedogenesis on the Edwards Plateau, Texas: II. Formation and occurrence of diagnostic subsurface horizons in a climosequence. *Soil Science Society of America Journal* 50: 687-692.
- Rabenhorst, M.C., and Wilding, L.P. 1986b. Pedogenesis on the Edwards Plateau, Texas: III. New model for the formation of petrocalcic horizons. *Soil Science Society of America Journal* 50: 693-699.
- Rabenhorst, M.C., Wilding, L.P., and Girdner, C.L. 1984a. Airborne dusts in the Edwards Plateau region of Texas. *Soil Science Society of America Journal* 48: 621-627.
- Rabenhorst, M.C., Wilding, L.P., and West, L.T. 1984b. Identification of pedogenic carbonates using stable carbon isotope and microfabric analyses. *Soil Science Society of America Journal* 48: 125-132.
- TAES 1972. General soil map, Ward County Texas. Texas Agricultural Experiment Station, Soil Conservation Service, U.S. Department of Agriculture.
- TAES 1995. General soil map, Loving and Winkler Counties, Texas. Texas Agricultural Experiment Station, Soil Conservation Service, U.S. Department of Agriculture.

West, L.T., Drees, L.R., Wilding, L.P., and Rabenhorst, M.C. 1988. Differentiation of pedogenic and lithogenic carbonate forms in Texas. *Geoderma* 43: 271-287.

## **REFERENCE: VEGETATION**

- BOR, 2004. Programmatic Environmental Assessment/Biological Assessment of the Carlsbad Project Vegetation Management Program, U.S. Department of the Interior, Bureau of Reclamation, Albuquerque Area Office, Albuquerque, New Mexico.
- Clayton, L., Hart, C.R., Holder, T., 2000. Pecos River Ecosystem Project - Progress Report, The Texas Agricultural Extension Service, Texas A&M University, Fort Stockton, TX.
- El-Hage, A., Moulton, D.W., 1998. Area Study: Parts of the Trans-Pecos, Texas, Evaluation of Selected Natural Resources in Parts of Loving, Pecos, Reeves, Ward, and Winkler Counties, Texas, Texas Parks and Wildlife.
- Frye, R.G., Brown, K.L., McMahan, C.A., 2004. Vegetation/Cover Types of Texas. The Bureau of Economic Geology, The University of Texas at Austin.
- McDaniel, K.C., Duncan, K.W., 1996. Saltcedar and Native Species in New Mexico, Saltcedar Management and Riparian Restoration Workshop. U.S. Fish and Wildlife Service, Portland, OR, Las Vegas, Nevada, pp. 2.
- Walvoord, M.A., Phillips, F.M., 2004. Identifying areas of basin-floor recharge in the Trans-Pecos region and the link to vegetation. *Journal of Hydrology*, 292(1-4): 59-74.
- Weeks, E., Weaver, H.L., Campbell, G.S., Tanner, B.D., 1987. Water use by saltcedar and by replacement vegetation in the Pecos River floodplain between Acme and Artesia, New Mexico, U.S. Geological Survey Professional Paper 491-G.



## REFERENCE: MISCELLANEOUS

- Allison, G.B., Jolly, I.D., Hughes, M.W., Cook, P.G., Barnett, S.R., Walker, G.R., 1990. Land clearance and river salinisation in the western Murray Basin, Australia. *Journal of Hydrology*, 119(1-4): 1-20.
- Anderson, J.E., 1982. Factors controlling transpiration and photosynthesis in *Tamarix chinensis* Lour. *Ecology*, 63(1): 48-56.
- ASTM, 2003. Standard Test Methods for Measurement of Hydraulic Conductivity of Saturated Porous Materials Using a Flexible Wall Permeameter, ASTM International D5084-03.
- Barbour, M.G., Burk, J.H., Pitts, W.D., Gilliam, F.S., Schwartz, M.W., 1999. *Terrestrial Plant Ecology*. Addison Wesley Longman, Inc. California, 699 pp.
- Bauer, P., Kinzelbach, W., Thabeng, G., Stauffer, F., 2004. Estimation of the evapotranspiration rate from diurnal groundwater level fluctuations in the Okavango Delta, Botswana. *Journal of Hydrology*, 288(3-4): 344-355.
- Blackburn, W.H., Knight, R.W., Schuster, J.L., 1982. Saltcedar influence on sedimentation in the Brazos River. *J. of Soil and Water Conserv.*, 37(5): 298-301.
- Bluth, G.J., Kump, L.R., 1994. Lithologic and climatic controls of river chemistry. *Geochim. Cosmochim. Acta*, 58(10): 2341-2359.
- Bradley, C., 2002. Simulation of the annual water table dynamics of a floodplain wetland, Narborough Bog, UK. *Journal of Hydrology*, 261(1-4): 150-172.
- Cedergren, H.R., 1989. *Seepage, drainage and flow nets*. John Wiley and Sons, Inc. USA, 465 pp.
- Chen, X., 2000. Measurement of streambed hydraulic conductivity and its anisotropy. *Environmental Geology*, 39(12): 1317-1324.
- Chen, X., 2003. Stream water infiltration, bank storage, and storage zone changes due to stream-stage fluctuations. *Journal of Hydrology*, 280(1-4): 246-264.
- Croft, A.R., 1948. Water loss by stream surface evaporation and transpiration by riparian vegetation. *Transactions, American Geophysical Union*, 29(2): 235-239.
- Davenport, D.C., Martin, P.E., Hagan, R.M., 1982. Evapotranspiration from riparian vegetation: water relations and irrecoverable losses for saltcedar. *J. of Soil and Water Conserv.*, 37(4): 233-236.
- Decker, J.P., Gaylor, W.G., Cole, F.D., 1962. Measuring transpiration of undisturbed tamarisk shrubs. *Plant Physiology*, 1(37): 393-397.
- Devitt, D.A., Piorkowski, J.M., Smith, S.D., Cleverly, J.R., Sala, A., 1997a. Plant water relations of *Tamarix ramosissima* in response to the imposition and alleviation of soil moisture stress. *J. of Arid Environ.*, 36: 527-540.
- Devitt, D.A., Sala, A., Mace, K.A., Smith, S.D., 1997b. The effect of applied water on the water use of saltcedar in a desert riparian environment. *Journal of Hydrology*, 192: 233-246.
- Devitt, D.A., Sala, A., Smith, S.D., Cleverly, J., Shaulis, L.K., Hammett, R., 1998. Bowen ratio estimates of evapotranspiration for *Tamarix ramosissima* stands on the Virgin River in southern Nevada. *Water Resources Research*, 34(9): 2407-2414.

- Fetter, C.W., 2001. Applied Hydrology. Prentice Hall, New Jersey, 598 pp.
- Gates, T.K., Broner, I., Burkhalter, J.P., Labadie, J.W., Valliant, J.C., 2002. Monitoring and modeling flow and salt transport in a salinity-threatened irrigated valley. *Journal of Irrigation and Drainage Engineering*, 128(2): 87-99.
- Gay, L.W., Fritschen, L.J., 1979. An energy budget analysis of water use by saltcedar. *Water Resources Research*, 15(6): 1589-1592.
- Gee, G.W., Bauder, J.W., 1986. Particle-size analysis. In: A. Klute (Editor), *Methods of Soil Analysis, Part 1, Physical and Mineralogical Methods*. Soil Science Society of America, Madison, WI, pp. 1188.
- Gerla, P.J., 1992. The relationship of water-table changes to the capillary fringe, evapotranspiration, and precipitation in intermittent wetlands. *Wetlands*, 12(2): 91-98.
- Glenn, E., Tanner, R., Mendez, S., Kehret, T., Moore, D., Garcia, J., Valdes, C., 1998. Growth rates, salt tolerance and water use characteristics of native and invasive riparian plants from the delta of the Colorado River, Mexico. *J. of Arid Environ*, 1998(40): 281-294.
- Goodrich, D.C. et al., 2000. Seasonal estimates of riparian evapotranspiration using remote and in situ measurements. *Agricultural and Forest Meteorology*, 105(1-3): 281-309.
- Herczeg, A.L., Simpson, H.J., Mazor, E., 1993. Transport of soluble salts in a large semiarid basin: River Murray, Australia. *Journal of Hydrology*, 144(1-4): 59-84.
- Hernandez, J.W., 1978. Interrelationship of ground and surface water quality in the El Paso-Juarez and Mesilla Valleys. *Natural Resour. J.*, 18: 1-9.
- Hibbs, B.J., 1999. Hydrogeologic and water quality issues along the El Paso/Juarez Corridor: An international case study. *Environmental and Engineering Geoscience*, 5(1): 27-39.
- Hibbs, B.J., Boghici, R., 1999. On the Rio Grande aquifer: Flow relationships, salinization, and environmental problems from El Paso to Fort Quitman, Texas. *Environmental and Engineering Geoscience*, 5(1): 51-59.
- Klein, M., 1981. Dissolved material transport-the flushing effect in surface and subsurface flow. *Earth Surface Processes and Landforms*, 6: 173-178.
- Kotb, T.H.S., Tanji, K.K., Watanabe, T., Ogino, Y., 2000. Soil salinization in the Nile Delta and related policy issues in Egypt. *Agricultural Water Management*, 43(2): 239-261.
- Livingstone, D.A., 1963. Chemical composition of rivers and lakes. U.S. Geol. Survey Prof. Paper 440-G, 63 pp.
- Maidment, D.M., 1992. *Handbook of Hydrology*. McGraw Hill, NY NY, 1405 pp.
- Meinzer, O.E., 1923. *Outline of ground-water hydrology with definitions*, Dept. of Interior, US Geological Survey Water-Supply Paper 494. Government Printing Office, Washington.
- Miyamoto, S., 1996. Salinity of the Rio Grande: trend and management implications. *Terra*, 14(3): 265-278.
- Mounsif, M., Wan, C., Sosebee, R.E., 2002. Effects of top-soil drying on saltcedar photosynthesis and stomatal conductance. *Journal of Range Management*, 55(January 2002): 88-93.

- NCDC, 2004. Monthly summary data for NWS and cooperative U.S. stations accessed online at <http://www.ncdc.noaa.gov/rcsg/database/html>. National Climate Data Center.
- Nielsen, D.M., 1991. Practical Handbook of Ground-Water Monitoring. Lewis Publishers. Chelsea, MI., 717 pp.
- Pillsbury, A.F., 1981. The salinity of rivers ( USA). *Scientific American*, 245(1): 54-65.
- Robinson, T.W., 1965. Introduction, spread and areal extent of saltcedar (*Tamarix*) in the western states. *Studies of Evapotranspiration*. U.S. Geological Survey Professional Paper 491-A. United States government Printing Office, Washington.
- Rosgen, D., 1996. Applied River Morphology, Wildland Hydrology. Pagosa Springs, CO.
- Sala, A., Smith, S.D., Devitt, D.A., 1996. Water use by *Tamarix ramosissima* and associated phreatophytes in a Mojave Desert floodplain. *Ecol. Applic.*, 6(3): 888-898.
- Sear, D.A., Armitage, P.D., Dawson, F.H., 1999. Groundwater dominated rivers. *Hydrological Processes*, 13(3): 255-276.
- Sharpe, R.D., 1980. Development of the mercury mining industry, Trans- Pecos, Texas. University of Texas, Bureau of Economic Geology, Mineral Resource Circular, 64: 32.
- Smith, S.D., Devitt, D.A., Sala, A., Cleverly, J.R., Busch, D.E., 1998. Water relations of riparian plants from warm desert regions. *Wetlands*, 18(4): 687-696.
- Stevens, R., Walker, S.C., 1998. Saltcedar control. *Rangelands*, 20(4): 912.
- Stromberg, J.C., 2001. Restoration of riparian vegetation in the south-western United States: Importance of flow regimes and fluvial dynamism. *Journal of Arid Environments*, 49(1): 17-34.
- Urbansky, E.T., Magnuson, M.L., Kelty, C.A., Brown, S.K., 2000. Perchlorate uptake by salt cedar (*Tamarix ramosissima*) in the Las Vegas wash riparian ecosystem. *the Science of the Total Environment*, 256: 227-232.
- van Hylckama, T.E.A., 1970. Water use by salt cedar. *Water Resources Research*, 6: 728-735.
- Weisbrod, N., Nativ, R., Adar, E.M., Ronen, D., 2000. Salt accumulation and flushing in unsaturated fractures in an arid environment. *Ground Water*, 38(3): 452-461.
- Wilcox, L.V., 1957. Analysis of salt balance and salt-burden data on the Rio Grande. In: P.C. Duisberg (Editor), *Problems of the Upper Rio Grande: An Arid Zone River*. U.S. Commission for Arid Resource Improvement and Development, Socorro, New Mexico, pp. 39-44.
- Yuan, F., Miyamoto, S., 2004. Influence of the Pacific Decadal Oscillation on hydrochemistry of the Rio Grande, USA and Mexico. *Geochemistry, Geophysics, Geosystems*, 5(12): doi:10.1029/2004GC000769.